

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-34 (Canceled).

Claim 35 (New): A forage treatment device for treating forage comprising:  
a rotor driven in rotation about an axis, the rotor including a support and at least one conditioning element, the at least one conditioning element comprising:

at least one active part configured to work the forage;

a first connecting part configured to connect the at least one conditioning element to the support by a first connection; and

a second connecting part configured to maintain connection of the at least one conditioning element to the support should the first connection break.

Claim 36 (New): A forage treatment device according to Claim 35, wherein the support includes a tube and at least one connecting element.

Claim 37 (New): A forage treatment device according to Claim 36, wherein the second connection is configured to connect the at least one conditioning element to the tube should the first connection break.

Claim 38 (New): A forage treatment device according to Claim 37, wherein the second connecting part includes a body and a head, a width dimension of the head being greater than a width dimension of the body.

Claim 39 (New): A forage treatment device according to Claim 38, wherein the body is connected to the first connecting part.

Claim 40 (New): A forage treatment device according to Claim 38, wherein the second connecting part extends at least partially inside the tube.

Claim 41 (New): A forage treatment device according to Claim 40, wherein a surface of the tube has at least one notch allowing the second connecting part to be introduced at least partially into the tube.

Claim 42 (New): A forage treatment device according to Claim 41, wherein the at least one notch comprises an entry area having a width greater than or equal to the width of the head.

Claim 43 (New): A forage treatment device according to Claim 41, wherein the at least one notch includes a holding area with a width less than the width of the head but greater than or equal to the width of the body.

Claim 44 (New): A forage treatment device according to Claim 41, wherein the at least one notch extends in a plane at least substantially perpendicular to an axis of rotation of the rotor.

Claim 45 (New): A forage treatment device according to Claim 41, wherein the at least one notch includes an entry area and a holding area, and wherein, viewed in a direction of rotation of the rotor, the entry area is arranged forward of the holding area.

Claim 46 (New): A forage treatment device according to Claim 37, wherein the at least one connecting element is connected removably to the tube.

Claim 47 (New): A forage treatment device according to Claim 35, wherein the first connection comprises an articulation of a pivot type.

Claim 48 (New): A forage treatment device according to Claim 36, wherein the second connection is configured to connect the at least one conditioning element to the at least one connecting element should the first connection break.

Claim 49 (New): An agricultural machine comprising a forage treatment device according to Claim 35.

Claim 50 (New): An agricultural machine according to Claim 49, wherein the agricultural machine comprises a mower.